

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

The Department of Natural Resources is providing this report to satisfy the requirements of the "Procedures Concerning Certain Licenses Act", IC 14-11-4, and its associated administrative rule, 312 IAC 2-3. The application files are available for public inspection at the Division of Water's office in Indianapolis. Please contact the Division's Technical Services Section at (317) 232-4160 or the toll free number 1-877-928-3755 to make an appointment for file review. Photocopies may be made for a nominal charge of \$0.10 per 8 1/2 " X 11" copy.

A pre-action public hearing on an application may be requested by filing a written petition with the Director, Division of Water:

Michael W. Neyer, P.E., Director
Division of Water
Room W264
402 West Washington Street
Indianapolis, Indiana 46204

For a petition to be considered valid it must:

1. Contain the typed or legibly printed name and complete mailing address of each petitioner;
2. Be signed by a minimum of 25 individuals who are at least 18 years old and either reside in the county where the project will take place or own real property within 1 mile of the project site;
3. Affirm that each signatory to the petition satisfies the requirements of item 2; and
4. Identify the application for which the public hearing is being requested either by the application # or the applicant's name and the project description.

A petition which does not meet these requirements will be considered invalid and the hearing request will not be granted.

A person may request that the Department provide written notice of its action on an application by filing a written request with:

Division of Water
Room W264
402 West Washington Street
Indianapolis, Indiana 46204

The request must identify the application by either the application # or the applicant's name and the project description.

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24244

Stream : Trail Creek

Applicant : City of Michigan City
John Pugh
100 East Michigan Boulevard
Michigan City, IN 46360-3265

Description : Bank stabilization will be performed at various locations along Trail Creek by sloping the banks and placing glacial stone, removing fallen trees from the creek and anchoring them to the banks at eroded areas and installing a lunker structure along the inside bend of the creek. Details of the project are contained in information and plans received at the Division of Water on March 20, 2007.

Location : At three separate locations along Trail Creek beginning at the Springland Avenue crossing and continuing south to the US 35 crossing
DOWNSTREAM: at Michigan City, Michigan Township, LaPorte County
NE¼, SE¼, NE¼, Section 34, T 38N, R 4W, Michigan City East Quadrangle
Quad Code: 4108667
UTM Coordinates: Downstream 4617082 North, 511945 East
UPSTREAM: SW¼, SE¼, NE¼, Section 27, T 38N, R 4W

UTM Coordinates: Upstream 4618340 North, 511640 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24265

Stream : Blue Creek

Applicant : Indianapolis Department of Public Works
Bill Bowman
604 North Sherman
Indianapolis, IN 46201-2563

Description : Approximately 235' of Blue Creek's eroded west (left) streambank will be excavated and the proposed bank will be stabilized with 190 tons of riprap laid over geotextile fabric to protect the bank from further erosion. The riprap will be keyed into the streambed at its base and will conform to the proposed bank at the project limits. It will have a maximum height of 6' and a maximum streamward projection of 4' beyond the proposed bank. Details of the project are contained in information and plans received at the Division of Water on April 9, 2007.

Location : Along the west side of Blue Creek just upstream of Hythe Road and continuing upstream approximately 250 feet
near Fishers, Lawrence Township, Marion County
NW¼, NE¼, NE¼, Section 34, T 17N, R 4E, Fishers Quadrangle
Quad Code: 3908681
UTM Coordinates: Downstream 4415043 North, 580920 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24268

Stream : Brown Ditch

Applicant : Carter & Burgess Inc
Karolyn Thompson
30800 Telegraph Road
Suite 4900
Bingham Farms, MI 48025-5710

Description : A 40' by 45' addition will be constructed on the east end of the existing commercial structure. The addition will be constructed on compacted fill, with a finished floor elevation of 693.98'. In addition, a 35' by 100' asphalt parking area and drive will be repaved. Details of the project are contained in information and plans received at the Division of Water on April 10, 2007.

Location : 23131 Colfax Street; approximately 250' south of the 231st Avenue and Colfax Street intersection and extending about 200' south and 100' east
DOWNSTREAM: near Shelby, Cedar Creek Township, Lake County
NW¼, SW¼, NW¼, Section 25, T 32N, R 9W, Schneider Quadrangle
Quad Code: 4108724
UTM Coordinates: Downstream 4560801 North, 465667 East
UPSTREAM:
UTM Coordinates: Upstream 4560801 North, 465667 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Application # : FW-24269

Stream : Nolands Fork

Applicant : John King Jr
6954 Edgerton Rd
Williamsburg, IN 47393-9761

Description : Two (2) grain bins will be constructed to provide grain storage. The facilities will be 14' by 54' in size. Details of the project are contained in information and plans received at the Division of Water on April 4, 2007.

Location : 6954 Edgerton Road; along the east overbank, approximately 3,000' upstream of the Helm Road stream crossing
near Fountain City, New Garden Township, Wayne County
NW¼, NE¼, NW¼, Section 14, T 15N, R 2W, Fountain City Quadrangle
Quad Code: 3908488
UTM Coordinates: Downstream 4422272 North, 676785 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24271

Stream : Indian Creek

Applicant : Lafayette Elks #143 Bridge Committee
Charles Scholer
P.O. Box 2568
West Lafayette, IN 47996-2568

Description : A single span bridge with span length of 44' will be constructed to carry golf course traffic over Indian Creek. The two existing bridges will be removed. Two 50' steel beams will be used to support the bridge deck. The abutment on each end will support 3' of the beams on bearing pads. The abutments will have a width of 52'. The structure will cross at approximately 25 degrees. Riprap over geotextile will be placed to protect the bank beneath the structure. Details of the project are contained in information and plans received at the Division of Water on April 11, 2007.

Location : Approximatley 1550' upstream of the U.S. 52 stream crossing
near West Lafayette, Wabash Township, Tippecanoe County
SE¼, NE¼, NE¼, Section 3, T 23N, R 4W, Lafayette West Quadrangle
Quad Code: 4008648
UTM Coordinates: Downstream 4480068 North, 503055 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24276

Stream : Plum Creek

Applicant : Marathon Pipe Line LLC
Richet M Clark
539 South Main Street
Findley, OH 45840-3229

Description : Marathon Pipeline LLC is proposing to install four Submar revetment mats over an approximately 12' section of pipeline in Plum Creek to limit further loss of cover due to streambed erosion. Approximately 10' of pipeline is currently exposed in the stream. The revetment mats, measuring approximately 20' long by 8' wide by 4.5" tall, are constructed of concrete elements with open areas to allow revegetation. The mats will be keyed into the streambed along a 3' trench, and the trench will be backfilled with riprap. Installation will occur "in the dry", and if required, a sand bag dam will be installed to serve as a temporary dike around the work area. The dam will be completely removed following construction. Details of the project are contained in information and plans received at the Division of Water on April 12, 2007.

Location : Approximately 1300' west of the County Road 800 North and County Road 725 East intersection
near Danville, Floyd Township, Putnam County
SW $\frac{1}{4}$, SW $\frac{1}{4}$, SW $\frac{1}{4}$, Section 35, T 16N, R 3W, North Salem Quadrangle
Quad Code: 3908676
UTM Coordinates: Downstream 4402920 North, 523550 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24277

Stream : Deweese Branch

Applicant : Marathon Pipe Line LLC
Richet M Clark
539 South Main Street
Findley, OH 45840-3229

Description : Marathon Pipeline LLC is proposing to install four Submar revetment mats over an approximately 32' section of pipeline in Plum Creek to limit further loss of cover due to streambed erosion. Approximately 14' of pipeline is currently exposed in the stream. The revetment mats, measuring approximately 20' long by 8' wide by 4.5" tall, are constructed of concrete elements with open areas to allow revegetation. The mats will be keyed into the streambed along a 3' trench, and the trench will be backfilled with riprap. Installation will occur "in the dry", and if required, a sand bag dam will be installed to serve as a temporary dike around the work area. The dam will be completely removed following construction. Details of the project are contained in information and plans received at the Division of Water on April 12, 2007.

Location : Approximately 8400' upstream of US 40 stream crossing
near Manhattan, Warren Township, Putnam County
NE¼, NE¼, NE¼, Section 13, T 13N, R 5W, Reelsville Quadrangle
Quad Code: 3908658
UTM Coordinates: Downstream 4380465 North, 508205 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24281

Stream : Canary Ditch

Applicant : RSW Development LP
Michael Waugh
1195 North Morton Street
Suite B
Franklin, IN 46131-1272

Description : A 29-acre stormwater detention pond will be excavated. The detention pond will have a maximum length of 650', a maximum width of 150' and a maximum depth of 10'. The excavated material will be transported and used on-site, out of the floodway, for nonstructural earthen fill in conjunction with new construction of a residential subdivision. Details of the project are contained in information and plans received at the Division of Water on April 13, 2007.

Location : Beginning approximately 100' upstream of the Conrail Railroad stream crossing and continuing upstream (north) for approximately 650'
DOWNSTREAM: near Franklin, Franklin Township, Johnson County
Section 11, T 12N, R 4E, Greenwood Quadrangle
Quad Code: 3908651
UTM Coordinates: Downstream 4373300 North, 580842 East
UPSTREAM:
UTM Coordinates: Upstream 4373531 North, 580845 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24282

Stream : Junk Ditch

Applicant : City of Fort Wayne
Dawn Ritchie, Greenways Manager
One Main Street
Room 280
Fort Wayne, IN 46802-1804

Description : Approximately 575' of trail will be constructed as Phase II. Construction will include 12' wide bituminous pavement with 2' compacted aggregate shoulders, signing, stripping and seeding. The trail will utilize and perpetuate existing drainage patterns with the use of ditches. The overall cut will be 130 cubic yards and the overall fill will be 73 cubic yards. Approximately 930' of trail will be constructed as Phase III. Construction will include 12' wide bituminous pavement with 2' compacted aggregate shoulders, signing, stripping and seeding. The trail will utilize and perpetuate existing drainage patterns with the use of ditches, culverts and the drainage swale leading to the Graham McCulloch Ditch. The overall cut will be 604 cubic yards and the overall fill will be 193 cubic yards. Approximately 1300' of 12" storm sewer will be constructed beneath existing grade. Details of the project are contained in information and plans received at the Division of Water on April 16, 2007.

Location : Approximately 200' north of Junk Ditch and 700' west of the intersection of Covington Road and Ardmore Avenue
DOWNSTREAM: near Fort Wayne, Wayne Township, Allen County
NE¼, SE¼, SE¼, Section 8, T 30N, R 12E, Fort Wayne West Quadrangle
Quad Code: 4108512
UTM Coordinates: Downstream 4547183 North, 651884 East
UPSTREAM: near Fort Wayne, Wayne Township, Allen County
SW¼, NW¼, NW¼, Section 19, T 30N, R 12E, Fort Wayne West Quadrangle
Quad Code: 4108512
UTM Coordinates: Upstream 4545098 North, 649034 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24291

Stream : Georgetown Creek

Applicant : Town of Georgetown
Kenton Griffin
9110 State Road 64
PO Box 127
Georgetown, IN 47122-8977

Description : A wastewater treatment plant will be constructed along Georgetown Creek to provide a local wastewater facility to the town. The proposed treatment plant will consist of a footprint of 65' wide by 150' long. The top of the process walls will be 749.75 NAVD. The plant will be set back 115' from the top of bank. The plant has been designed so that it will be constructed at existing grade with a minimum amount of fill. A dry parallel ditch will be constructed to compensate for floodway capacity and to minimize the increase in water surface elevation during significant storms. In addition to serve the treatment plant there will be a 15" outfall. The pipe will terminate with a concrete headwall that will conform to the bank slope. Details of the project are contained in information received electronically at the Division of Water on April 23, 2007 and in plans and information received at the Division of Water on

Location : Along the right (north) bank of Georgetown Creek starting 200' upstream of FEMA cross section 3.572 (approximately 1700' upstream of Baylor Wissman Rd) and continuing upstream for approximately 650' at Georgetown, Georgetown Township, Floyd County Section 34, T 2S, R 5E, Georgetown Quadrangle Quad Code: 3808538

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-20712

Lake : Big Turkey Lake

Applicant : Tim Dilley
321 Maplewood Drive
Ossian, IN 46777-9321

Description : An existing 35' by 650' channel will be dredged. Approximately 2,106 cubic yards of accumulated muck and debris will be removed from the channel bed by dredging to an average depth of 2.5' at the center of the channel and sloping uniformly to the shoreline. The excavated material will be transported to an upland containment area for dewatering and disposal. Details of the project are contained in information and plans received at the Division of Water on April 9, 2007 and April 10, 2007.

Location : Big Turkey Lake, Steuben County, Stroh Quadrangle SE and NW; Sections 7 and 18; Township 36N; Range 12E.
near Stroh, Salem Township, Steuben County
S½, S½, SE¼, Section 7, T 36N, R 12E, Stroh Quadrangle
Quad Code: 4108552
UTM Coordinates: Downstream 4605418 North, 651481 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-20713

Lake : Big Turkey Lake

Applicant : Mark Troder
7121 County Road 24
Butler, IN 46721-9662

Description : An existing 50' by 200' channel will be dredged. Approximately 1500 cubic yards of accumulated muck and debris will be removed from the channel bed by dredging a maximum of 4' at the center of the channel and sloping uniformly to the shoreline. The excavated material will be transported to an upland containment area for dewatering and disposal. Details of the project are contained in information and plans received at the Division of Water on April 9, 2007 and April 10, 2007.

Location : Big turkey Lake, Steuben County, Stroh Quarters SE and NW; Sections 7 and 18; Township 36N; Range 12E.
near Stroh, Salem Township, Steuben County
E½, NW¼, NE¼, Section 7, T 36N, R 12E, Stroh Quadrangle
Quad Code: 4108552
UTM Coordinates: Downstream 4605047 North, 651335 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

- Application # : PL-20714
- Lake : Big Turkey Lake
- Applicant : Robert and Patricia Wittler
1255 Lane 180 Turkey Lake
Hudson, IN 46747-9224
- Description : A proposed 25' by 500' channel will be dredged to create a boatway between two existing islands. Approximately 2.7' of accumulated muck and debris will be removed from the channel bed by dredging a maximum of 6' of sediment at the center of the channel and sloping uniformly to the shoreline. The excavated material will be transported to an upland containment area for dewatering and disposal. Details of the project are contained in information and plans received at the Division of Water on April 9, 2007.
- Location : Big Turkey Lake; Steuben County, Stroh; Quarters SE and NW; Section 7 and 18; Township 36N; Range 12E
near Stroh, Salem Township, Steuben County
N $\frac{1}{2}$, NW $\frac{1}{4}$, NE $\frac{1}{4}$, Section 18, T 36N, R 12E, Stroh Quadrangle
Quad Code: 4108552
UTM Coordinates: Downstream 4605249 North, 651217 East
- Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11
- Application # : PL-20715
- Lake : Sylvan Lake
- Applicant : Ken Thompson
1075 Hilltop Drive
Rome City, IN 46784-9654
- Description : A 35' by 50' existing underwater beach will be reconstructed across 50' of the applicant's 120' frontage by placing an additional uniform 2" layer of pea gravel over the existing beach previously approved under PL-17724 on the lakebed. Details of the project are contained in information and plans received at the Division of Water on April 10, 2007, April 23, 2007 and April 25, 2007.
- Location : 1075 Hilltop Drive; Lots 8 and 9 of Sherbondy Park
near Rome City, Orange Township, Noble County
SE $\frac{1}{4}$, SE $\frac{1}{4}$, SW $\frac{1}{4}$, Section 15, T 35N, R 10E, Kendallville Quadrangle
Quad Code: 4108543
UTM Coordinates: Downstream 4593749 North, 636967 East
- Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-20717

Lake : Wawasee Lake

Applicant : Douglas R Fleck
712 South Lakeside Drive
Syracuse, IN 46567-2019

Description : A new temporary 12' wide by 21' long by 7' high aluminum boat shelter will be placed over the top of an existing boatwell to be used to cover boats from weather. The boat cover shall not have sides as proposed. Details of the project are contained in information and plans received at the Division of Water on April 13, 2007.

Location : 712 South Lakeside Drive
near Syracuse, Turkey Creek Township, Kosciusko County
NW¼, SE¼, SE¼, Section 8, T 34N, R 7E, Lake Wawasee Quadrangle
Quad Code: 4108546
UTM Coordinates: Downstream 4585567 North, 605723 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-20721

Lake : Simonton Lake

Applicant : Walter A Meyer
25258 Aqua Drive
Elkhart, IN 46514-9712

Description : An existing concrete seawall will be refaced across 100' of the applicant's frontage. The reface layer will consist of steel sheet piling installed a maximum of 6" lakeward of the toe of the existing seawall. Details of the project are contained in information and plans received at the Division of Water on April 20, 2007.

Location : 25258 Aqua Drive
near Elkhart, Osolo Township, Elkhart County
E½, NE¼, Section 16, T 38N, R 5E

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-20722

Lake : Winona Lake

Applicant : Thomas Joyner
30 Fairlane Drive
WARSAW, IN 46580-4609

Description : A new seawall will be constructed across 165' of the 165' frontage of the applicant along channel leading to Winona Lake to deter shoreline erosion. The wall will consist of reinforced, poured in place concrete which will be sloped on the lakeward side. It will be approximately 40 inches high and will vary uniformly in thickness from 30 inches approximately to 12 inches from the base to the top. The lakeward face of the wall will be legal/average normal shoreline. This will take place after the removal of the current deteriorating sea wall. Details of the project are contained in information received electronically at the Division of Water on April 23, 2007 and in plans and information received at the Division of Water on

Location : The channel on the west side of Fairlane Drive at 30 Fairlane Drive at Warsaw, Wayne Township, Kosciusko County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-20723

Lake : Big Long Lake

Applicant : Marguerite Burrell
2827 Ridge Valley Drive
Fort Wayne, IN 46804-7829

Description : A new glacial stone seawall will be constructed across 100' of the applicant's 100' frontage. The existing seawall consisting of rubber tires will be removed. Details of the project are contained in information and plans received at the Division of Water on April 24, 2007.

Location : 9945 East 645 South
LaGrange County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-20724

Lake : Simonton Lake

Applicant : Kelly M and Charlotte K Custer
68300 Morton Drive
Edwardsburg, MI 49112-8522

Description : A new seawall will be constructed across 192' of the 192' frontage of the applicant along Simonton Lake to deter shoreline erosion. The wall will consist vinyl which will be sloped on the lakeward side. It will be 24 inches high and will vary uniformly in thickness from 7 inches to 8 inches from the base to the top. The lakeward face of the wall will be at legal/average normal shoreline. A 24" wide layer of natural stone will be placed at the base of the wall for toe protection. Applicant is also requesting to regain that portion of original shoreline which is badly eroded. Please rush as shoreline is continuing to rapidly erode. Details of the project are contained in information received electronically at the Division of Water on April 24, 2007 and in plans and information received at the Division of Water on

Location : 51310 Forest Road
at Elkhart, Osolo Township, Elkhart County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-20726

Lake : Jimmerson Lake

Applicant : John D Maag
79 Lane 370B
Jimmerson Lake
Fremont, IN 46737-9375

Description : A new underwater beach will be constructed in front of the property of the applicant on Jimmerson Lake to provide an area suitable for swimming. The beach will consist of 4 inch to 6 inch thick layer of (7/64 inch clean, washed pea gravel placed directly on the lakebed. The beach will begin approximately 5 ft west of the eastern property line and will extend westerly across 60 ft of the 70 ft frontage. It will have a maximum lakeward projection of 25 ft. Details of the project are contained in information received electronically at the Division of Water on April 24, 2007 and in plans and information received at the Division of Water on

Location : 79 lane 370B; Under water beach will be on the north shore of jimmerson lake just west of Beauna Vista Subdivision on the shore of Parcel id 03-32-130-314.010-07 in Jamestown Twsp of Steuben County. Parcel is not in said subdivision.
near Angola, Jamestown Township, Steuben County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-20727

Lake : Simonton Lake

Applicant : Whitney Ort
51486 Forest Road
Elkhart, IN 46514-6261

Description : An existing railroad timber seawall will be refaced across 107' of the applicant's frontage. The reface layer will consist of steel sheet piling installed a maximum of 6" lakeward of the toe of the existing seawall. Details of the project are contained in information and plans received at the Division of Water on April 25, 2007.

Location : 51486 Forest Road
near Elkhart, Elkhart County
NE¼, Section 16, T 38N, R 5E

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-20728

Lake : Bass Lake

Applicant : James R Bischoff
5817 South New England
Chicago, IL 60638-3218

Description : A temporary pier will be placed in front of the property of the applicant on Bass Lake to provide lake access to those property owners with reparation rights. The 4' wide pier will extend 150' lakeward of, and perpendicular to, the (legal/average normal) shoreline of the lake. It will be supported by 3.5 inch auger poles which will be placed in the lakebed using hand held tools.
Details of the project are contained in information received electronically at the Division of Water on April 26, 2007 and in plans and information received at the Division of Water on

Location : between 5866 s. county road 210 and 5880 s. county road 210; To install a removable pier at the south end of the westerly 10 feet of lot 34 to provide swimming and docking priveledges to property owners holding reparation rights to said access.
at Knox, California Township, Starke County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11